ATLANTIC COUNTY UTILITIES AUTHORITY August 18, 2022 – 3:00 PM 6700 Delilah Road, Egg Harbor Township, NJ

PRESENT FOR THE AUTHORITY

Marvin Embry

Chair

Fred Akers John Lyons Member - Zoom Member - Zoom Member - Zoom

Judy Ward Maria Mento

Member - Zoom

Richard Dovey

President

Brian Lefke

Senior Vice President of Solid Waste & Authority Secretary

Joseph Pantalone

Vice President Wastewater

Linda Bazemore

Vice President of Administration & Finance/CFO

Matthew DeNafo

Vice President of Centralized Maintenance & Asset Management - Zoom

Thomas Ganard

Chief Engineer

Sharon Hunt John Conover Director of Human Resources

Deputy Chief Engineer

Greg Seher Sara Verrillo Maintenance Resource Coordinator Chief Customer Relations Manager

Senior Computer Analyst

Herminio Roque Lisa Duffner

Executive Assistant

ALSO PRESENT

Keith Davis, Esq.

Nehmad, Davis & Goldstein

Stephanie E. Farrell, Esq.

Nehmad, Davis & Goldstein - Zoom

Kenneth Wigg, PE

Senior Engineer, Keller Industrial, Inc. - Zoom

Chairman Embry called the meeting to order at 3:06 p.m. and announced that the notice of the 2022-2023 Meeting Schedule was mailed to the Atlantic City Press, The Daily Journal, The Clerk of Atlantic County, and The Clerk of The Atlantic County Board of Commissioners on February 18, 2022, in compliance with the Open Public Meetings Act, NJSA 10:4-6, et seq. and it was posted on the bulletin board of the Atlantic County Utilities Authority in the administration building, and Notice of Live Streaming of this meeting was mailed to the Atlantic City Press, The Daily Journal, The Clerk of Atlantic County, and The Clerk of The Atlantic County Board of Commissioners on July 29, 2022, and both notices were posted on the bulletin board of the Atlantic County Utilities Authority in the administration building.

Flag Salute

Roll call was taken by Brian Lefke which reflected a quorum was present.

Chairman Embry

Present

Fred Akers

Present - Zoom

Andrew Berenato

Absent

John Lyons

Present - Zoom

Judy Ward

Present - Zoom

Laura Pfrommer

Absent

Maria Mento

Present - Zoom

APPROVAL OF THE MINUTES OF THE JULY 13, 2022, SPECIAL BOARD MEETING – Voted on and approved by all members.

APPROVAL OF THE MINUTES OF THE JULY 21, 2022, BOARD MEETING – Voted on and approved by all members.

BOARD COMMITTEE REPORTS: None.

BOARD COMMENT:

On behalf of the Board, Chairman Embry recognized and thanked Mike Gille, Lab Director, who is retiring at the end of this month, after 44 years of service with the ACUA. Chairman Embry said that he always found Mike to be friendly and knowledgeable, and he wished him all the best in his retirement.

Rick Dovey stated that Mike Gille started working at the ACUA on November 28, 1978, which was about two months after the Wastewater Plant first opened. He said that Mike has been employed at the ACUA longer than anyone else, and his contributions over the years are insurmountable. The lab has also become a model in the State of New Jersey due to Mike's leadership. Rick also stated that he received an email from the head of labs for the State of New Jersey complimenting Mike. Rick thanked Mike for his many years of outstanding service and wished him a great retirement.

Mike Gille thanked the Board of Commissioners and Board Officers. He stated that he considers himself to be very lucky to have worked in the lab and to have had such a great relationship with a wonderful group of people there. He also stated that he would not have been able to accomplish the work he has done without the help and support of his ACUA coworkers, and he is extremely grateful for that.

PUBLIC COMMENT: None.

NEW BUSINESS: None.

OLD BUSINESS: None

ALL RESOLUTIONS APPROVED.

RESOLUTION COMMENTS:

Resolution 22-8-174: Mrs. Ward asked what grease recovery is. Joe Pantalone explained that at each of the casino's major restaurants they have a grease-recovery system which collects grease before it enters the wastewater treatment screen. He said that if you do not service those grease recovery systems properly, it could create havoc for the operation and, more importantly, havoc for the Wastewater Plant because grease is not good for the lines. The ACUA does a monthly inspection service to make sure that these grease-recovery systems are properly maintained.

Mrs. Ward also asked about the number of grease recovery units that the ACUA inspects each month. Joe Pantalone clarified that some casinos may only have one unit to be inspected and others may have more.

The meeting was adjourned at 3:33 p.m.

Respectfully submitted,

BRN G. LEGUE

Brian G. Lefke Board Secretary

TO;	Brian G. Lefke, Secretary Atlantic County Utilities Authority
FROM:	Honorable Dennis Levinson, Atlantic County Executive
RE:	Minutes of Meeting - August 18, 2022
	Minutes of the above referenced meeting were submitted pursuant to N.J.S.A seq. on August 19, 2022,
(a) <u>X</u> (b)	action has been taken.
	by return the Minutes of the above referenced meeting to the Authority and to the eholders, on the date set forth above, which is
(a) <u>\</u> (b)	within ten days of delivery. within twenty-four (24) hours of delivery where the action at the meeting was deemed by the Authority to be in response to an emergency situation.
III. The f	following action is taken on the Minutes:
	Approved in all respects. Vetoed in all respects. A written explanation of the reasons for the veto is attached. Approved in part and vetoed in part. The specific items which are vetoed and a written explanation of the reasons for the veto or vetoes is attached.
Dennis Levi Atlantic Cou	1000 S 24 22 Inson Inty Executive Approved as to Form and Entry

cc: Sonya Harris, Clerk to the Atlantic County Board of County Commissioners ATTACHMENTS: <u>x</u> Minutes

x Minutes
Veto Message

Date: